

**City of Midlothian
Inventory of Services
3-year Annexation
Southeast Midlothian ETJ**

Intro

The Southeast Midlothian ETJ was included in the City of Midlothian's Municipal Annexation Plan (MAP), becoming effective on December 9, 2014 and officially launching the 3-year annexation proceedings for this area. As a part of this annexation, an inventory of services is required to be complete within approximately 8 months of the effective date of the Municipal Annexation Plan (MAP), which is approximately August 6, 2015.

Using the Ellis County Commissioner Precinct Map approved by the Commissioners' Court on November 28, 2011, the proposed annexation area is split between two (2) County Commissioners' precincts. The precincts are split in a north-south direction by Sudith Lane/Whitehead Road. Approximately $\pm 29.5\%$ of the proposed annexation area lies in Ellis County, Precinct 3 jurisdiction, which is currently represented by Commissioner Paul Perry. The remaining $\pm 70.5\%$ of the proposed annexed area lies within Ellis County, Precinct 4 jurisdiction, which is currently represented by Commissioner Kyle Butler.

Overall, Ellis County has a total area of ± 952 square miles, of which ± 935 square miles is land and ± 16 square miles (1.7%) is water. The proposed Annexation Area located inside of Precinct 3 contains ± 1.6 square miles or $\pm 0.48\%$ of the overall Precinct 3 boundaries (± 334.58 square miles). The proposed annexation area located inside of Precinct 4 contains ± 3.8 square miles or $\pm 3\%$ of the overall Precinct 4 boundaries (± 126.43 square miles).

Inventory of Services:

The City of Midlothian requested and received the following responses to the request for information describing service and facilities in the proposed annexation area. The information included in this inventory was provided by the *City of Midlothian Police Department, Ellis County Sheriff's Department, City of Midlothian Fire Department, Republic Waste Services, Roach, DCI, Mountain Peak Special Utility District, Sardis Lone Elm Water Supply Corporation, BNSF, and Ellis County.*

Legal Requirements:

Section 43.053 of the Texas Local Government Code requires cities to compile an inventory of services and facilities provided by public and private entities, directly or by contract, in each area included in a Municipal Annexation Plan (MAP). The inventory must include all services and facilities the city is required to provide or maintain following the approval of the annexation, as indicated by the Ordinance and state law. This inventory of services is limited to the proposed annexation of the Southeast Midlothian ETJ.

These services and facilities include:

- Police Protection
- Fire Protection
- Solid Waste Collection
- Maintenance of (public) water and wastewater facilities that are not in the service area of another water or wastewater utility
- Maintenance of (public) streets; including street lighting
- Maintenance of (public) parks, playgrounds, and swimming pools
- Maintenance of any other publicly owned facility, building or service


A written request to service providers in the Southeast Midlothian ETJ annexation area was mailed on February 6, 2015. Cities are required to notify public and private service providers requesting information regarding the type and level of services they provide. If a service provider fails to submit the required information within 90 days of receiving notification, the City is not obligated to include the information in the inventory. The 90-day period to receive this information expired on June 5, 2015 (§43.053(c)). The deadline to have this inventory of services completed by is August 6, 2015 (§43.053(g)) and will be available at the public hearings (§43.056(j)).

State law specifies the type of information that must be provided to the City for the inventory (Sec. 43.053e Texas Local Government Code). According to the statute, information to be provided for the inventory should be based on services and facilities provided during the year preceding the date the City included the area in its Municipal Annexation Plan.

Area Description:

The Southeast Midlothian ETJ annexation area is currently located within the City’s extraterritorial jurisdiction (ETJ) and encompasses ± 3,471 acres (± 5.42 square miles). Within this proposed annexation area there are an estimated ± 1,472 parcels, ± 3,500 persons* and ± 28.12 miles of roads, as of August 4, 2015. The Southeast Midlothian ETJ annexation area is bounded approximately by Mt. Zion Road on the north side, McAlpin Road on the south side, and the current City limit line forming the western and eastern boundaries. This area is completely surrounded by the City’s limits, except for a small portion on the southeast portion of the proposed annexation area, located between McAlpin and Honeysuckle Roads (see map below).

**assumes 2.9968 people per residential unit, 95.4% occupancy rate and 80% of the parcels having a residential unit*



Subdivisions

The proposed annexation area includes the following established subdivisions: Cedar Crossing, Coldwater Creek, Crystal Forest, Diamond Creek, Dove Creek Acres, Duvall Place Addition, High Ridge Acres, Hill Creek, Honeysuckle Ridge, Kathryn’s Corner, Lake Grove, Mission Hills, Plainview Manor, Plum Creek, Reeves Farms, Rocking T, Rolling Hills, Rolling Wood, Saddleback Creek, Sergeant Place, Shallow Creek, Stone Brook, Sudith Lane Estates, Sunshine Place, Twin Oaks, Whispering Hills and Willow Creek. This area also includes land and property not within any established subdivision.

Police Protection – (City of Midlothian Police Department)

Average Response Time (2014, based on information from 2014 CRIMES database)

- Inside City Limits
 - Priority 1: Dispatch to Arrive = 4 minutes, 45 seconds
 - Priority 2: Dispatch to Arrive = 5 minutes, 7 seconds
 - Priority 3: Dispatch to Arrive = 6 minutes, 18 seconds
 - Priority 4: Dispatch to Arrive = 6 minutes, 14 seconds
 - **Average of Average of Priorities 1 – 4 = 5 minutes, 36 seconds**

- Outside City Limits
 - Although the City’s Police Department did make numerous visits to the ETJ residents when the Sheriff’s Office couldn’t, data that shows response time was not available.

Approximate Vehicle Count (2014 inventory)

- 18 SUVs
- 6 4-door sedans
- 1 truck/pickup

Staffing Schedule (based on FY 2014-15 budget)

- 41 certified police officers (full-time personnel); 5 administrative and technician positions
- Officers per capita (1,000 per population): 1.90
- 4 shifts (rotating days and nights)
 - Days- 6am to 6pm
 - Nights-6pm to 6am

Operating and Capital Expenditures (based on FY 2014-15 budget)

- Revenues: Not Provided
- Expenses:

Personnel Services:	\$3,901,339
Contractual Services:	\$ 78,685
Supplies:	\$ 112,796
Debt Service:	\$ 25,477
Capital Outlay:	\$ 73,016

Other Operating Costs

Vehicle Maintenance	\$ 57,716
Fuel	\$ 106,250
Equipment Maintenance	\$ 8,170
Dues/Subscriptions	\$ 2,576
Lease Training	\$ 675
Conferences and Training	\$ 35,692
Miscellaneous	\$ 4,000
Postage	\$ 1,000
Printing	\$ 2,700
Telephone	\$ 12,708
Utilities-Electric	\$ 68,208
Facility Maintenance	\$ 42,000
Prisoner Meals	\$ 2,500
Utilities-Water	\$ 660
Crime Prevention	\$ 2,000
<u>Tnsf to Capital Reserve</u>	<u>\$ 287,410</u>
Total Expenses:	\$4,824,902

Police Protection - (Ellis County Sheriff's Department)

Average Response Time (based on 2014 information provided)

- All calls – 15 minutes, 37 seconds

Approximate Vehicle Count (2014 inventory)

- 37 4-door sedans
- 32 SUVs
- 23 trucks/pickups
- 5 cargo vans
- 1 Ford flatbed truck

Staffing Schedule (based on FY 2014-15 budget)

- 75 certified officers (full-time personnel)
- 29 full-time & 8 part-time civilian personnel
- Officers per capita (1,000 per population): 1.99
- 4 shifts (rotating days and nights)
 - Shift times were not reported

Operating and Capital Expenditures (based on FY 2014-15 budget)

- Revenues: Not Provided
- Expenses:

Salaries & Related Expenditures	\$ 7,334,065
Operating Expenditures	\$ 394,177
Capital Expenditures	\$ 47,300
<u>Auto Expenditures</u>	<u>\$ 368,000</u>
Total Expenses	\$ 8,143,542

Fire Protection – (City of Midlothian Fire Department)

Average dispatch and delivery time (based on 2014 fire department reports)

- Average response time for calls (City) – 5 minutes, 4 seconds
- Average response time for calls (ESD) – 8 minutes, 29 seconds
- Service area coverage – approx. 115 square miles (same coverage area as Midlothian ISD)
 - The Midlothian Fire Department provides coverage in the ETJ (9.5 cents charge in ESD No. 2)
 - An ISO rating of 2 is applicable to the City and 5 miles from each municipal fire station per a letter from the State’s Fire Marshal’s Office dated October 14, 2014 and effective March 1, 2015.

Vehicle Inventory (2014)

- 1 aerial ladder truck
- 4 fire engines
- 4 ambulances
- 3 brush fire trucks
- 3 SUVs
- 1 light and air utility vehicle

Staffing Schedule (based on FY 2014-15 budget)

- 45 firefighters/paramedics (full-time personnel); 1 administrative assistant
 - Includes 1 Fire Chief, 1 Assistant Fire Chief, 1 Fire Marshall, and 1 EMT Captain
- 3 shifts (24 hours on/48 hours off)
 - 15 assigned per each 24-hour shift

Operating and Capital Expenditures ((based on FY 2014-15 budget)

- Revenues: Not Provided
- Expenses:

Personnel Services:	\$4,495,932
Contractual Services:	\$ 158,210
Supplies:	\$ 169,389
Debt Service:	\$ 300
Capital Outlay:	\$ 18,000

Other Operating Costs

Vehicle Maintenance	\$ 40,000
Fuel	\$ 68,000
Equipment Maintenance	\$ 17,300
Siren Maintenance	\$ 1,500
HazMat Cleanup	\$ 100
Dues/Subscriptions	\$ 4,000
College Tuition	\$ 2,200
Conferences and Training	\$ 25,880
Miscellaneous	\$ 4,000
Postage	\$ 200
Telephone	\$ 8,165
Utilities-Electric	\$ 31,500
Utilities-Gas	\$ 1,440
Facility Maintenance	\$ 30,050
Utilities-Propane	\$ 8,000
Utilities-Water	\$ 4,500
Special Projects	\$ 1,804
Tnsf to Capital Reserve	\$ 280,000
Total Expenses:	\$5,370,470

Solid Waste Collection

Republic Services – City

- Trash pickup – twice a week
- Recycle with 20-gallon bin – once a week (cannot opt out unless you are 65+)
- Rates* – \$15.66/month (\$12.49 pickup + \$1.98 recycle + \$1.19 tax)

Roach

- Trash pickup – once a week (no limit to cans or bags)
- No recycle
- Rates* – \$22.00/month

DCI

- Trash pickup – twice a week
- Recycle is an option but its extra – once a week
- Rates* – range from \$18.06 to \$21.25/month

**Rates as of April 2015*

Wastewater Collection Facilities and Water Supply

As these homes all have on-site sewage facilities, the City does not provide wastewater collection to this area. Inspections for this facilities are currently handled by the County. Once inside the City limits, the state will handle inspections.

Per the CCN boundaries registered with the state, below is a breakdown of the water districts located in the proposed annexation area.

City of Midlothian - (covers ± 0.94% of the overall area)

- This proposed annexation area contains ± 32.5 acres located within the City's CCN. The acreage is located south of the MISD property where LaRue Miller Elementary and measures approximately 2,600 feet x 350 feet or ± 21 acres. The other is a triangle-shaped area measuring ± 11.5 acres and located north of Saddleback Creek, Phase IV.

Mountain Peak Water Supply Corporation - (covers ± 29.84% of the overall area)

- This proposed annexation area contains ± 1,035 acres located within the Mountain Peak's CCN.
- No report was submitted describing the physical condition of infrastructure.
- Summary of Capital, Operational, and Maintenance expenditures
Not provided

Sardis Lone Elm Water Supply Company - (covers 69.22% of the overall area)

- This proposed annexation area contains ± 2,400 acres located within the Sardis Lone Elm's CCN.
- No report was submitted describing the physical condition of infrastructure.
- Summary of Capital, Operational, and Maintenance expenditures
Not provided

Infrastructure

Railroads

BNSF – none

Roads (per Ellis County Roads Report)

- **Precinct 3 Road Facts:**
 - Approximately ± 276.29 total street miles maintained within Ellis County, Precinct 3 boundaries (based on GIS calculations)
 - Approximately ± 8.20 miles currently maintained by Ellis County, Precinct 3 within the proposed annexation area ($\pm 2.97\%$ of overall Pct. 3 street totals)
 - Approximately $\pm \$660,500$ of total road expenditures appropriated in FY '14-15 budget or $\pm \$2,390.61$ per mile.
 - See attached report for road details in Precinct 3

- **Precinct 4 Road Facts:**
 - Approximately ± 116.17 total street miles maintained within Ellis County, Precinct 4 boundaries (based on GIS calculations)
 - Approximately ± 19.92 miles currently maintained by Ellis County, Precinct 4 ($\pm 17.15\%$ of overall Pct. 4 street totals)
 - Approximately $\pm \$430,500$ of total road expenditures appropriated in FY '14-15 budget or $\pm \$3,705.78$ per mile.
 - See attached report for road details in Precinct 3

Summary of Some City-related services (to be provided in detail in Service Plan)


- Order lighting at major intersection at City Cost
- Storm clean up
- Annual clean up with City
- Street Signage replaced
- Large litter pickup
- Right-of-way mowing, tree trimming, road striping, road widening, and potential upgrade of road surface (when deemed necessary)
- Control of ROW for franchise and other utilities (permit requirements)
- Potential storm water program

Bodies of Water

Lake Grove Lake is the only body of water and it contains only ± 12 acres within this proposed annexation area and is maintained by the Lake Grove Homeowners Association. The remaining ± 5 acres is owned and maintained by the City of Midlothian and is located inside the city limits.

Utility Providers

This area is serviced by both Oncor and Hilco. Per the coverage map below, it appears that 1/3 of this area is located in Hilco's exclusive area with the remaining 2/3 being in Oncor's coverage area. Based on research, it appears Oncor has a blanket coverage throughout Ellis County. A third electric provider is also found inside the Midlothian, United Electric Coop, but is it not provide coverage in this annexation area.



Precinct 3 Road Report

ROAD_NAME	RD_ST_et	SURFACE_TY	SURFACE_CO	DRAINAGE	NOTES	SURFACE_MA	WIDTH	ROW	GPS_DATE	GPS_TIME	L_Feet	L_Miles	Precinct	SqYd_Pavement
ASHFORD	LN	CHIP_SEAL	POOR	Poor		Pea Gravel	20.0	40	12/17/2009	10:52:23am	5,338	1.01	3	11,863
BENT CREEK	CT	CONCRETE		Good	15' joints + center spider cracking rebar showing	Concrete	30.0	60	3/25/2010	01:19:20pm	610	0.12	3	2,032
CREEKSIDE	CT	CONCRETE		Good	20' joints + center spider cracking rebar showing	Concrete	30.0	60	3/25/2010	01:09:19pm	557	0.11	3	1,857
CRIPPLE CREEK	DR	CHIP_SEAL	GOOD	Good	SLIGHT FLUSHING AT TURNS	Pea Gravel	19.0	60	12/17/2009	08:54:11am	1,807	0.34	3	3,814
DIAMOND CREEK	RD	CHIP_SEAL	POOR	Needs Maint.		Pea Gravel	19.0	60	12/17/2009	09:20:37am	2,788	0.53	3	5,885
HILLTOP	RD	CHIP_SEAL	FAIR	Needs Maint.		Pea Gravel	17.0	60	12/21/2009	08:50:32am	1,948	0.37	3	3,680
HONEYSUCKLE RIDGE	CT	ASPHALT	6-GOOD	Good		Asphalt	21.0	60	12/17/2009	10:17:23am	887	0.17	3	2,069
LAKEGROVE	LOOP	CHIP_SEAL	FAIR	Needs Maint.	CLEAN DWY CULVERTS	Pea Gravel	17.0	60	12/21/2009	08:37:28am	2,498	0.47	3	4,719
MC ALPIN	RD	ASPHALT	9-EXCELLENT	Good		Asphalt	24.0	40	12/17/2009	08:11:54am	2,387	0.45	3	6,364
OAK TREE	LN	ASPHALT	9-EXCELLENT	Good	NARROWS AT END	Pea Gravel	19.0	60	12/17/2009	11:44:45am	6,530	1.24	3	13,786
PLUM CREEK	DR	CONCRETE		Good	15' joints + center spider cracking rebar showing	Concrete	30.0	60	3/25/2010	01:17:40pm	2,095	0.40	3	6,984
ROLLINGWOOD	LN	CHIP_SEAL	FAIR	Good	NARROWS AT END	Pea Gravel	18.0	60	12/17/2009	11:11:11am	1,652	0.31	3	3,304
SHALLOW CREEK	DR	CHIP_SEAL	GOOD	Good	SLIGHT FLUSHING AT TURNS	Pea Gravel	19.0	60	12/17/2009	08:44:46am	4,517	0.86	3	9,537
SHALLOW CREEK	CT	CHIP_SEAL	GOOD	Good	CUL D'SAC FAILED	Pea Gravel	19.0	60	12/17/2009	09:01:13am	607	0.11	3	1,281
SHEPARKON	DR	CHIP_SEAL	FAIR	Good		Pea Gravel	17.0	60	12/21/2009	09:08:06am	1,494	0.28	3	2,822
SILVER RIVER	RD	CHIP_SEAL	FAIR	Needs Maint.		Pea Gravel	19.0	60	12/17/2009	09:44:22am	1,358	0.26	3	2,867
SUNBEAM	CT	CHIP_SEAL	GOOD	Needs Maint.	pull shoulders	Pea Gravel	16.0	60	3/25/2010	01:35:57pm	1,737	0.33	3	3,089
TAHOE	LN	CHIP_SEAL	FAIR	Good		Pea Gravel	19.0	60	12/17/2009	09:15:36am	1,300	0.25	3	2,743
WHITEHEAD	RD	ASPHALT	6-GOOD	Good	SLIGHT EDGE CRACKING	Asphalt	21.0	60	12/17/2009	10:10:42am	1,809	0.34	3	4,221
WHITEHEAD	RD	CHIP_SEAL	FAIR	Good	FLUSHING	Pea Gravel	19.0	40	3/19/2010	10:06:27am	444	0.08	3	938
WINDRIDGE	CT	CHIP_SEAL	FAIR	Needs Maint.		Pea Gravel	17.0	60	12/21/2009	08:55:55am	956	0.18	3	1,805

43,319.49

8.20

Precinct 4 Road Study

ROAD_NAME	RD_ST_et	SURFACE_TY	SURFACE_CO	DRAINAGE	NOTES	SURFACE_MA	WIDTH	ROW	GPS_DAT	GPS_TIME	L_Feet	L_Miles	Precinct	SqYd_Pavement
ANGELA	CT	CONCRETE		Good	15' joints no center	Concrete	24.0	60	3/22/2010	09:11:50am	1,440	0.27	4	3,841
ANGELA	CIR	CONCRETE		Good	15' joints no center	Concrete	24.0	60	3/22/2010	09:16:40am	620	0.12	4	1,652
BAYLOR	BLVD	CONCRETE		Good	15' joints no center SEVERAL cracks	Concrete	24.0	60	3/22/2010	08:52:21am	2,452	0.46	4	6,540
BRADS	WAY	CONCRETE		Good	5/8 deep 20' joints + center, 75% mid-slab cracks spalling and spot fail	Concrete	22.0	60	3/19/2010	09:08:39am	3,882	0.74	4	9,489
CALEB EAST	CT	CONCRETE		Good	15' joints no center few cracks	Concrete	24.0	60	3/22/2010	08:49:06am	716	0.14	4	1,911
CALEB WEST	CT	CONCRETE		Good	15' joints no center few cracks	Concrete	24.0	60	3/22/2010	08:47:10am	258	0.05	4	688
CODY	CT	CONCRETE		Needs Maint.	20' joints no center many cracks mid-slab	Concrete	22.0	60	3/22/2010	07:32:19am	487	0.09	4	1,191
COLDWATER	CT	CONCRETE		Good	20.5 joints + center, curbs NO CRACKS	Concrete	26.0	60	3/19/2010	07:18:14am	664	0.13	4	1,919
EMO	ST	CONCRETE		Good	25' control no center joint mid-slab and center cracks	Concrete	22.0	60	3/18/2010	01:46:29pm	929	0.18	4	2,272
HONEYSUCKLE	RD	CHIP_SEAL	GOOD	Needs Maint.		Crushed Aggregate	18.0	35	3/19/2010	12:13:38pm	1,249	0.24	4	2,498
HONEYSUCKLE	RD	CHIP_SEAL	GOOD	Needs Maint.	some edge repairs WOODED AREA POORER	Crushed Aggregate	18.0	35	3/19/2010	12:22:10pm	7,029	1.33	4	14,059
JAE'S	CT	CONCRETE		Good	20' + center joints many cracks mid-slab	Concrete	22.0	60	3/22/2010	07:03:44am	526	0.10	4	1,285
JAKE'S	CT	CONCRETE		Good	20' + center joints many cracks mid-slab	Concrete	22.0	60	3/22/2010	07:15:52am	1,021	0.19	4	2,496
JAKE'S	WAY	CONCRETE		Needs Maint.	20' joints no center many cracks mid-slab	Concrete	22.0	60	3/22/2010	07:18:53am	2,816	0.53	4	6,884
JESSICA	LN	CONCRETE		Good	20' + center joints many cracks mid-slab	Concrete	22.0	60	3/22/2010	06:53:52am	563	0.11	4	1,375
JOHN T	LN	CONCRETE		Good	20 + center joints	Concrete	22.0	60	3/22/2010	06:33:47am	2,664	0.50	4	6,511
KAITLYN	CT	CONCRETE		Needs Maint.	20' joints no center many cracks mid-slab	Concrete	22.0	60	3/22/2010	07:30:05am	433	0.08	4	1,057
KATY EAST	CT	CONCRETE		Good	15' joints no center few cracks	Concrete	24.0	60	3/22/2010	08:40:31am	973	0.18	4	2,595
KATY WEST	CT	CONCRETE		Good	15' joints no center few cracks	Concrete	24.0	60	3/22/2010	08:37:01am	1,115	0.21	4	2,974
KERI	LN	CONCRETE		Good	20.5 joints + center, curbs	Concrete	26.0	60	3/19/2010	07:09:26am	1,484	0.28	4	4,288
KERI	CT	CONCRETE		Good	20.5 joints + center, curbs	Concrete	26.0	60	3/19/2010	07:12:21am	306	0.06	4	884
KIRSTIE	CT	CONCRETE		Good	20' + center joints many cracks	Concrete	22.0	60	3/22/2010	06:36:32am	242	0.05	4	592
KYM	CT	CONCRETE		Needs Maint.	20' joints no center many cracks mid-slab	Concrete	22.0	60	3/22/2010	07:35:00am	557	0.11	4	1,362
LIEGH ERIN	ST	CONCRETE		Good	25' control no center joint mid-slab and center cracks	Concrete	22.0	60	3/18/2010	01:37:37pm	969	0.18	4	2,369
MATT	CT	CONCRETE		Good	15' joints no center no cracks	Concrete	24.0	60	3/22/2010	08:59:14am	536	0.10	4	1,429
MC ALPIN	RD	CHIP_SEAL	FAIR	Good	FLUSHING IN WHEELPATH SOME AGGREGATE LOSS		22.0	60	3/19/2010	09:55:05am	5,195	0.98	4	12,698
MC CARVER	CT	CONCRETE		Good	15' joints no center few cracks	Concrete	24.0	60	3/22/2010	08:25:09am	609	0.12	4	1,623
MC CARVER	DR	CONCRETE		Good	15' joints no center few cracks	Concrete	24.0	60	3/22/2010	08:27:15am	612	0.12	4	1,632
MINDY	LN	CONCRETE		Good	15' joints no center few cracks	Concrete	24.0	60	3/22/2010	09:03:12am	2,183	0.41	4	5,822

Precinct 4 Road Study

MONROE	DR	CONCRETE		Good	15' joints no center few cracks	Concrete	24.0	60	3/22/2010	08:04:01am	4,133	0.78	4	11,021
MONROE	CT	CONCRETE		Good	15' joints no center few cracks	Concrete	24.0	60	3/22/2010	08:15:42am	1,941	0.37	4	5,177
MT ZION	RD	CHIP_SEAL	EXCELLENT	Good		Crushed Aggregate	19.0	40	3/18/2010	10:51:01am	2,296	0.43	4	4,848
MT ZION	RD	CHIP_SEAL	POOR	Good	edge, longitudinal and alligator cracking	Crushed Aggregate	17.0	60	3/18/2010	11:22:12am	1,981	0.38	4	3,742
PARKER	LN	CONCRETE		Good	16' joints no center	Concrete	24.0	60	3/22/2010	07:39:59am	4,795	0.91	4	12,788
PLAINVIEW	RD	CHIP_SEAL		Good		Crushed Aggregate	20.0	40	3/19/2010	07:30:28am	8,799	1.67	4	19,553
PRESTON	LN	CONCRETE		Good	20' + center joints many cracks mid-slab	Concrete	22.0	60	3/22/2010	07:11:26am	271	0.05	4	661
SHADY RIDGE	CT	CHIP_SEAL	FAILED	Needs Maint.	extensive patching good patches good shape	Pea Gravel	19.0	40	3/19/2010	11:02:35am	949	0.18	4	2,004
SHADY RIDGE	ST	CHIP_SEAL	FAILED	Needs Maint.	extensive patching good patches good shape	Pea Gravel	19.0	40	3/19/2010	11:05:01am	1,205	0.23	4	2,544
SKINNER	RD	CHIP_SEAL	FAILED	Needs Maint.	extensive patching good patches good shape	Pea Gravel	19.0	40	3/19/2010	11:14:18am	3,688	0.70	4	7,785
SKINNER	RD	CHIP_SEAL	FAILED	Needs Maint.	Longitudinal cracking some flushing slight rutting	Crushed Aggregate	19.0	35	3/19/2010	11:41:07am	6,679	1.27	4	14,100
SUDITH	RD	CHIP_SEAL	FAILED	Needs Maint.	alligator cracking deep ruts at shoulders	Pea Gravel	19.0	40	3/18/2010	11:57:58am	2,964	0.56	4	6,257
SUDITH	RD	CHIP_SEAL	FAIR	Good	parches in good shape	Pea Gravel	17.0	60	3/18/2010	12:39:24pm	1,462	0.28	4	2,761
SUDITH	RD	CHIP_SEAL	FAILED	Needs Maint.	alligator cracking deep ruts at shoulders	Pea Gravel	19.0	40	3/18/2010	11:57:58am	2,964	0.56	4	6,257
SUDITH	RD	CHIP_SEAL	FAIR	Good	parches in good shape	Pea Gravel	17.0	60	3/18/2010	12:39:24pm	1,462	0.28	4	2,761
TERESA	TRL	CONCRETE		Good	15' joints no center few cracks	Concrete	24.0	60	3/22/2010	08:28:47am	2,017	0.38	4	5,379
TIMBER ROCK	LN	CONCRETE		Good	20' joints + center	Concrete	22.0	60	3/19/2010	09:04:10am	2,107	0.40	4	5,151
TRACEY	CT	CONCRETE		Good	20' + center joints many cracks mid-slab	Concrete	22.0	60	3/22/2010	07:07:04am	385	0.07	4	940
TWIN OAKS	DR	CHIP_SEAL	FAILED	Needs Maint.	extensive patching good patches good shape	Pea Gravel	19.0	40	3/19/2010	10:38:46am	2,300	0.44	4	4,856
VERNON POINT		CONCRETE		Good	15' joints + center no cracks needs sealed	Concrete	24.0	60	3/22/2010	09:26:09am	652	0.12	4	1,738
WHISPERING HILLS	CT	CHIP_SEAL	FAIR	Good	CHIP OVER ASPHALT LONGITUDINAL CRACKING	Pea Gravel	21.0	60	3/25/2010	06:56:23am	645	0.12	4	1,505
WHISPERING HILLS	DR	CHIP_SEAL	FAIR	Good	CHIP OVER ASPHALT LONGITUDINAL CRACKING	Pea Gravel	21.0	60	3/25/2010	06:47:08am	2,219	0.42	4	5,178
WILLOW BEND	LN	CHIP_SEAL	FAIR	Good	SPOT CRACKING SLIGHT FLUSHING	Crushed Aggregate	19.0	60	3/19/2010	06:38:04am	2,618	0.50	4	5,526
WILLOW CREEK	RD	CHIP_SEAL	FAIR	Good	SPOT CRACKING SLIGHT FLUSHING	Crushed Aggregate	19.0	60	3/19/2010	06:27:21am	2,270	0.43	4	4,792
ZACH'S	CT	CONCRETE		Good	20' + center joints many cracks mid-slab	Concrete	22.0	60	3/22/2010	06:46:44am	1,842	0.35	4	4,502

105,175.79 19.92